

INSTALLATION MANUAL

Valor® G3.5 Series



717BPBF Three-sided Flat Backing Plate Kit


CSA approved for use with Valor G3.5 700M Heater Models

INSTALLER: Leave this manual with the appliance.
CONSUMER: Retain this manual for future reference.


The 717BPBF 3-Sided Flat Backing Plate is intended to be used with the 716 and 721 Edgemont trim kits, to be installed on a Valor heater model 700M.

Note: The cavity dimensions required for this kit are different than those of the floating backing plate kits. See required Cavity Dimensions below.


Dimensions



Overview



Cavity Dimensions




Minimum Dimension


Depth (X)	14-1/2" [368 mm]
Depth with optional fan kit (X)	17-1/2" [445 mm]
Height (Y)	22-3/8" [521 mm]
Width (not shown)	30-7/8" [784 mm]

Installation

1. On completion of appliance installation, insert the backing plate assembly into the liner box,




2. Attach the plate using 4 screws into the left and right sides.



3. The backing plate is now ready for a front to be installed onto it. See the installation manual for your trim for instructions.

Repair Parts List

Item	Description	Part Number
1	Backing plate assembly	4008233
Not shown	Sheet metal screws (4)	4008424



Because our policy is one of constant development and improvement, details may vary slightly from those given in this publication.

Designed and Manufactured by / for
Miles Industries Ltd.

190 - 2255 Dollarton Highway, North Vancouver, B.C., CANADA V7H 3B1

Tel. 604-984-3496 Fax 604-984-0246

www.valorfireplaces.com

GUIDE D'INSTALLATION

valor® G3.5



717BPBF Plaque de finition plate à 3 côtés

Utilisez avec les Portes ou Bordures Edgemont 716EC, 716EH ou 721ED sur les foyers Valor 700

INSTALLATEUR : Laissez cette notice avec l'appareil.

CONSOMMATEUR : Conservez cette notice pour consultation ultérieure.



La Plaque de finition plate à 3 côtés 717BPBF est conçue pour être utilisée avec une Bordure Craftsman 716EC, une Bordure martelée Edgemont 716EH ou une Porte Edgemont 721ED installées sur un foyer Valor G3.5 700.

La Plaque de finition 714BPB de même que les Bases de soulèvement 725 ou 793 peuvent également être ajoutées au 717BPBF combiné au 716 ou 721 afin de couvrir un âtre plus grand.

Note

Veillez noter cependant que les dimensions requises de la cavité doivent être plus grande que celles d'autres plaques de finition. Voir les dimensions minimales de cavité ci-dessous et dans le Guide d'installation du foyer 700.

Dimensions de la Plaque 717BPBF




Dimensions minimales de cavité	Avec 717BPBF
Profondeur	14-1/2" [368 mm]
avec ventilateur optionnel	17-1/2" [445 mm]
Hauteur	22-3/8" [521 mm]
Largeur d'ouverture à l'avant	30-7/8" [784 mm]

Installation


Fixez la plaque de finition aux supports des cotés déjà installés sur le foyer (2 vis par côté).

Note : Utilisez les trous supérieurs des montants de la plaque de finition pour la fixer.



Pièces

Description	Pièce n°
Plaque de finition	4008233
Vis à métaux (4)	4008424



Parce que nous favorisons une politique de développement continu, certains détails de la présente publication peuvent varier.

Conçue et fabriquée par / pour
Miles Industries Ltd.

190 – 2255 Dollarton Highway, North Vancouver, BC, CANADA V7H 3B1

Tél. 604-984-3496 Téléc. 604-984-0246

www.foyervalor.com